

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	29	hanger and hook and (greater or larger or bigger) near5 ("90" or ninety) near4 degrees	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
17	IS&R	L17	2	("6042078").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
18	IS&R	L18	0	("hangerandhookand(90ornine ty)near4degrees").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L19	494	hanger and hook and ("90" orninety) near4 degrees	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L20	606	hanger and hook and ("90" or ninety) near4 degrees	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	294497	ti (brad)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	294497	ti (brad)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L15	291629	ti (metal and brad)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L16	13	metal near brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	0	hanger and hook and metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	4	hook and metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	BRS	L11	24	metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L12	34	metal near10 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	IS&R	L5	2	("6042078").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L6	0	"248"/\$ and hanger and hook and metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	BRS	L7	1	"248"/\$ and hanger and metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	BRS	L8	4	"248"/\$ and metal near5 brad	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B